

# Hyndburn's Children and Young People Profile

This profile provides an overview for Hyndburn. It includes demographics and key indicators which are directly related to health, or have an impact on children's health. The **statistical significance** comparisons are with England (see key on right). These are a snapshot, the [district](#) and [ward](#) profiles have a fuller range of indicators around these themes.

Comparison with England  
 Better  
 Worse  
 Similar

## About the population

Age	Area %	Area count	E&W %
0-4	5.8%	4524	5.3%
5-9	6.4%	5018	6.0%
10-14	6.5%	5096	6.1%
15-19	5.9%	4602	5.6%

Source: [ONS, Census 2021](#)

- Almost a quarter of the population (19,239) are aged between 0-19.
- Hyndburn has a slightly higher proportion of children aged 0-9 compared to England and Wales.
- There is a slightly higher proportion aged 10-19. (12.2%) (E&W, 11.3%).

## Deprivation

- 21.9%** of children are living in child poverty (IDACI, 2019)
- 20.2%** of children are in low income families (all dependent children under-20) (2016)
- 20.1%** of children are in low income families (under-16) (2016)

Child poverty (IDACI)	%
Church	<b>38.2</b>
Barnfield	<b>30.6</b>
Central	<b>30.4</b>
Spring Hill	<b>29.8</b>
Peel	<b>28.5</b>

Source: [Fingertips, Local Health Profile](#) (ward)

Childhood poverty can lead to poor health outcomes in later life. Reducing it is key to improving health in adulthood, and increasing healthy life expectancy. Hyndburn is significantly worse than England for all three indicators (left), with over a fifth living in poverty (income deprivation affecting children index - IDACI).

Breaking this down further, the table shows the five wards with the highest proportion of children in poverty. Another three wards are also significantly worse than England. Only Baxenden (2.6%), St Oswald's (7.8%) and Overton (12.1) are significantly better (see [ward profile](#) for all ward values). Additional indicators around deprivation, with England values and comparisons, are in the [district profile](#).

## Maternity and infancy

- 29** under-18 conceptions (**21.9** per 1,000 <18) (2020)
- 1.0%** of deliveries are to teenage mothers (12-17 years) (2016/17-20/21)
- 15.1%** of mothers are smoking at the time of delivery (all ages) (2021/22)
- 4.7%** of term babies were low birth weight (LBW) (2020)
- 10** babies (**3.4** per 1,000) died before the age of one (2018-20)

Becoming pregnant at a young age and/or being a teenage parent is linked to poorer outcomes, such as living in poverty, for both mother and baby. On both indicators, Hyndburn is significantly worse than England.

Smoking when pregnant has negative effects for the mother and baby, and in Hyndburn an estimated 15.1% of mothers are smoking at the time of delivery, significantly worse than England.

The proportion of LBW term babies is significantly worse than England, The rate of infant mortality is similar. For variation across wards please see the [ward profile](#).

Source: [Fingertips, Local Health Profiles](#) (district)

## Children's health and wellbeing

A healthy childhood lays the foundations for a healthy adulthood and these indicators provide a useful overview of children's health in Hyndburn. While some are 'health' indicators, others are focused on the wider determinants of health (education, schooling). Where available, ward rankings have been provided, showing the five areas with the highest proportion or rates.

**25.7%** of reception children are overweight or obese (2019/20-21/22)

**39.3%** of year 6 children are overweight or obese (2019/20-21/22)

**39.0%** of children (5-16-years) are physically active (2020/21)

Comparison with England

● Better ● Worse ● Similar

Source: [Fingertips, Local Health Profiles](#) (district)

Reception: overweight or obese	%
Peel	33.3
Rishton	29.6
Clayton-le-Moors	29.2
Central	28.6
Altham	28.1
Year 6: overweight or obese	%
Central	45.5
Spring Hill	45.3
Rishton	43.9
Netherton	42.4
Overton	41.5

Source: [Fingertips, Local Health Profile](#) (ward)

**4.6%** of half days missed due to pupil absence (5-15-years) (2020/21)

**45.6** is the average attainment 8 score (15-16-years) (2020/21)

**240.7** emergency hospital admissions (per 1,000 children) for under-fives (2016/17-20/21)

**150.5** emergency hospital admissions (per 10,000) for injuries (<15) (2016/17-20/21)

**35.6** admission episodes (per 100,000) for alcohol-specific conditions in children <18 (2018/19-20/21)

Improving attendance at school can increase a child's opportunities and future life chances. A child who has consistent attendance will be more likely to achieve academically. Hyndburn is similar to England for pupil absence and significantly worse than England for average attainment score.

Emergency hospital admissions are an important indication of wider determinants of poor health. These can include respiratory conditions caused by cold, damp homes, or smoking around children for example.

Emergency admissions for injuries are a major cause of premature mortality for children and young people, and can be a source of long-term issues, including mental health related to the experience.

Looking at the available ward data, emergency admissions for under-fives is significantly worse than England in all wards, except for Baxenden, which is similar.

For admissions for injuries (<15 years), all wards in Hyndburn are significantly worse than England, except for Barnfield which is similar.

Emergency admissions under-5	Per 1,000
Church	289.2
Clayton-le-Moors	258.1
Overton	256.6
Spring Hill	254.7
Rishton	254.5

Emergency admissions injuries <15	Per 10,000
Church	208.7
Clayton-le-Moors	171.3
Netherton	169.2
Immanuel	164.8
Spring Hill	163.3

Comparison with England

● Better ● Worse ● Similar

Source: [Fingertips, Local Health Profile](#) (ward)

## District profile

Please see the district profile below which highlights key indicators for Hyndburn. While some may not be specific to children and young people, they provide an oversight to health and wellbeing for people in the area.

● Better 95% ● Similar ● Worse 95% ○ Not applicable   
 Quintiles: Best ● ● ● ● ● Worst ○ Not applicable   
 Quintiles: Low ● ● ● ● ● High ○ Not applicable

Recent trends: — Could not be calculated ➔ No significant change ↑ Increasing & getting worse ↑ Increasing & getting better ↓ Decreasing & getting worse ↓ Decreasing & getting better ↑ Increasing ↓ Decreasing

Indicator	Period	Hyndburn		Region England		England		Range	Best/Highest
		Recent Trend	Count	Value	Value	Value	Worst/Lowest		
Life expectancy at birth (Female, All ages, 3 year range)	2018 - 20	—	-	80.8	81.7	83.1	79.0		87.9
Life expectancy at birth (Male, All ages, 3 year range)	2018 - 20	—	-	76.6	77.9	79.4	74.1		84.7
Life expectancy at birth (Male, All ages, 1 year range)	2020	—	-	76.4	77.0	78.7	73.6		83.7
Life expectancy at birth (Female, All ages, 1 year range)	2020	—	-	80.0	81.0	82.6	78.0		87.8
Children in low income families (under 16s) (Persons, <16 yrs)	2016	➔	3,440	20.1%	18.0%	17.0%	31.8%		1.7%
Children in relative low income families (under 16s) (Persons, <16 yrs)	2020/21	➔	5,188	30.8%	21.2%	18.5%	42.4%		3.3%
Children in absolute low income families (under 16s) (Persons, <16 yrs)	2020/21	➔	4,151	24.6%	16.6%	15.1%	39.2%		2.7%
Children in low income families (all dependent children under 20) (Persons, 0-19 yrs)	2016	➔	3,995	20.2%	18.1%	17.0%	32.5%		2.8%
Child Poverty, Income deprivation affecting children index (IDACI) (Persons, <16 yrs)	2019	—	3,604	21.9%	-	17.1%	32.7%		3.2%
General fertility rate: live births per 1,000 women aged 15-44 years. five year pooled (Female, 15-44 yrs)	2016 - 20	—	5,060	68.9	-	59.2	37.3		79.8
Under 18s conception rate / 1,000 (Female, <18 yrs)	2020	➔	29	21.9	16.7	13.0	30.4		2.1
Deliveries to teenage mothers (Female, 12-17 yrs)	2016/17 - 20/21	—	50	1.0%	-	0.7%	1.9%		0.0%
Smoking status at time of delivery (Female, All ages)	2021/22	➔	133	15.1%	10.6%	9.1%	21.1%		3.1%
Low birth weight of live babies, five year pooled (Persons, 0 yrs)	2016 - 20	—	450	8.9%	-	6.8%	10.6%		3.6%
Low birth weight of term babies (Persons, >=37 weeks gestational age at birth)	2020	➔	40	4.7%	2.7%	2.9%	4.9%		1.0%
Baby's first feed breastmilk (Persons, Newborn)	2018/19	—	-	-	62.4%	67.4%	-	Insufficient number of values for a spine chart	
Infant mortality rate (Persons, <1 yr)	2018 - 20	—	10	3.4	4.3	3.9	8.3		0.8
Reception: Prevalence of overweight (including obesity) (Persons, 4-5 yrs) <span style="background-color: green; color: white; padding: 2px;">New data</span>	2021/22	➔	230	24.6%	23.3%	22.3%	28.9%		12.9%
Reception: Prevalence of overweight (including obesity), 3-years data combined (Persons, 4-5 yrs) <span style="background-color: green; color: white; padding: 2px;">New data</span>	2019/20 - 21/22	—	-	25.7%	24.1%	22.6%	28.7%		13.6%
Reception: Prevalence of obesity (including severe obesity) (Persons, 4-5 yrs) <span style="background-color: green; color: white; padding: 2px;">New data</span>	2021/22	➔	85	9.1%	10.6%	10.1%	14.9%		3.9%
Reception: Prevalence of obesity (including severe obesity), 3-years data combined (Persons, 4-5 yrs) <span style="background-color: green; color: white; padding: 2px;">New data</span>	2019/20 - 21/22	—	-	10.7%	10.6%	9.9%	13.9%		4.0%
Year 6: Prevalence of overweight (including obesity) (Persons, 10-11 yrs) <span style="background-color: green; color: white; padding: 2px;">New data</span>	2021/22	➔	430	42.4%	39.0%	37.8%	49.1%		16.9%
Year 6: Prevalence of overweight (including obesity), 3-years data combined (Persons, 10-11 yrs) <span style="background-color: green; color: white; padding: 2px;">New data</span>	2019/20 - 21/22	—	-	39.3%	37.5%	35.8%	46.2%		20.9%
Year 6: Prevalence of obesity (including severe obesity) (Persons, 10-11 yrs) <span style="background-color: green; color: white; padding: 2px;">New data</span>	2021/22	➔	270	26.6%	24.4%	23.4%	34.0%		7.7%
Year 6: Prevalence of obesity (including severe obesity), 3-years data combined (Persons, 10-11 yrs) <span style="background-color: green; color: white; padding: 2px;">New data</span>	2019/20 - 21/22	—	-	24.1%	22.9%	21.6%	30.6%		10.3%
Pupil absence (Persons, 5-15 yrs)	2020/21	➔	184,968	4.6%	4.7%	4.6%	6.5%		2.7%
Average Attainment 8 score (Persons, 15-16 yrs)	2020/21	—	45,870	45.6	49.6	50.9	42.7		61.0
Smoking prevalence at age 15 - regular smokers (modelled estimates) (Persons, 15 yrs)	2014	—	55	5.7%*	-	5.4%*	11.1%		0.0%
Smoking prevalence at age 15 - regular or occasional smokers (modelled estimates) (Persons, 15 yrs)	2014	—	87	9.0%*	-	8.2%*	14.9%		0.0%
Percentage of physically active children and young people (Persons, 5-16 yrs)	2020/21	—	-	39.0%	44.0%	44.6%	-	Insufficient number of values for a spine chart	
Percentage with a mean daily sedentary time in the last week over 7 hours per day at age 15 (Persons, 15 yrs)	2014/15	—	-	-	71.2%	70.1%	-	Insufficient number of values for a spine chart	
Emergency hospital admissions in under 5 years old, crude rate (Persons, 0-4 yrs)	2016/17 - 20/21	—	3,765	240.7	-	140.7	273.4		37.9
Emergency hospital admissions for injuries in under 5 years old, crude rate (Persons, 0-4 yrs)	2016/17 - 20/21	—	495	186.3	-	119.3	263.3		55.3
Emergency hospital admissions for injuries in under 15 years old, crude rate (Persons, <15 yrs)	2016/17 - 20/21	—	1,190	150.5	-	92.0	161.6		48.5
Emergency hospital admissions for injuries in 15 to 24 years old, crude rate (Persons, 15-24 yrs)	2016/17 - 20/21	—	675	145.5	-	127.9	314.8		58.0
Hospital admissions caused by unintentional and deliberate injuries in children (aged 0-4 years) (Persons, 0-4 yrs)	2020/21	➔	90	175.8	146.2	108.7	307.1		34.0
Hospital admissions caused by unintentional and deliberate injuries in children (aged 0-14 years) (Persons, <15 yrs)	2020/21	➔	240	151.4	100.5	75.7	173.4		26.5
Hospital admissions caused by unintentional and deliberate injuries in young people (aged 15-24 years) (Persons, 15-24 yrs)	2020/21	➔	130	140.7	129.2	112.4	264.7		37.3
Admission episodes for alcohol-specific conditions - Under 18s (Persons, <18 yrs)	2018/19 - 20/21	—	20	35.6	40.1	29.3	84.0		7.7
Admission episodes for alcohol-specific conditions - Under 18s (Male, <18 yrs)	2018/19 - 20/21	—	-	*	29.7	22.8	-	Insufficient number of values for a spine chart	
Admission episodes for alcohol-specific conditions - Under 18s (Female, <18 yrs)	2018/19 - 20/21	—	20	73.1	51.0	36.1	111.3		8.1
Chlamydia detection rate per 100,000 aged 15 to 24 (Male, 15-24 yrs)	2021	➔	27	556	782	860	0		2,345
Chlamydia detection rate per 100,000 aged 15 to 24 (Female, 15-24 yrs)	2021	↓	57	1,301	1,809	1,762	0		3,664

— the recent trend cannot be calculated for this value.

Please note, data collection for the National Child measurement Programme paused in March 2020, so data for 2019/20 is underrepresented.

Source: [Fingertips, Local Health Profiles](#) (district)

## Ward profile

Please see the ward profile below for Hyndburn. Please note, not all indicators in the district profile are available at ward level. Not all available indicators will have a value.

Better 95%
Similar
Worse 95%
Not compared
 Quintiles: Low    High

Indicator	Period	England	Hyndburn	Altham	Barnfield	Baxenden	Central	Church	Clayton-le-Moors	Huncoat	Immanuel	Milns haw	Netherpton	Overton	Peel	Rishton	Spring Hill	St Andrew's	St Oswald's
Reception: Prevalence of obesity (including severe obesity), 3-years data combined	2019/20 - 21/22	9.9	10.7*	9.4*	10.0	*	16.7*	11.8*	8.3*	8.7*	9.1	7.1	11.1*	*	13.9	11.1*	14.8	6.9	8.6
Reception: Prevalence of overweight (including obesity), 3-years data combined	2019/20 - 21/22	22.6	25.7*	28.1*	23.3	26.7*	28.6*	26.5*	29.2*	17.4*	27.3	25.0	25.9*	17.9*	33.3	29.6*	25.9	20.7	22.9
Year 6: Prevalence of obesity (including severe obesity), 3-years data combined	2019/20 - 21/22	21.6	24.1	20.0	27.6	20.0	30.3	22.4	25.0	17.2	19.2	25.0	24.2	22.0	23.1	22.0	29.7	19.4	21.6
Year 6: Prevalence of overweight (including obesity), 3-years data combined	2019/20 - 21/22	35.8	39.3	37.8	37.9	32.0	45.5	34.7	35.7	31.0	30.8	40.6	42.4	41.5	35.9	43.9	45.3	35.5	37.8
<b>Child and Maternal Health</b>																			
Deliveries to teenage mothers	2016/17 - 20/21	0.7	1.0	*	*	0.0	*	*	*	0.0	*	*	*	*	*	*	2.0	*	*
General fertility rate: live births per 1,000 women aged 15-44 years, five year pooled	2016 - 20	59.2	68.9	67.6	77.1	52.1	84.4	71.9	66.9	50.9	66.3	63.9	75.3	53.1	77.8	64.5	83.6	64.3	61.0
Low birth weight of live babies, five year pooled	2016 - 20	6.8	8.9	10.1	8.1	4.4	10.0	10.0	9.2	7.2	6.1	8.1	11.3	8.0	9.6	8.2	11.3	8.3	5.2
<b>Children and Young people: Health care use</b>																			
Emergency hospital admissions in under 5 years old, crude rate	2016/17 - 20/21	140.7	240.7	245.8	249.7	171.4	231.2	289.2	258.1	183.9	242.7	252.2	242.8	256.6	238.3	254.5	254.7	241.7	212.9
Emergency hospital admissions for injuries in under 5 years old, crude rate	2016/17 - 20/21	119.3	186.3	186.5	141.9	170.3	180.1	266.4	193.5	170.4	236.3	182.2	226.8	160.0	174.4	190.6	194.0	206.8	189.0
Emergency hospital admissions for injuries in under 15 years old, crude rate	2016/17 - 20/21	92.0	150.5	154.7	128.0	140.6	126.7	208.7	171.3	135.9	164.8	142.2	169.2	120.6	147.7	146.9	163.3	161.1	157.3
Emergency hospital admissions for injuries in 15 to 24 years old, crude rate	2016/17 - 20/21	127.9	145.5	187.6	209.1	151.2	150.3	195.6	131.8	99.2	210.9	115.6	166.5	76.7	115.3	153.0	165.4	154.7	92.2
<b>Child poverty</b>																			
Child Poverty, Income deprivation affecting children index (IDACI) (Persons, <16 yrs)	2019	17.1	21.9	16.1	30.6	2.6	30.4	38.2	20.7	15.9	17.3	18.9	23.2	12.1	28.5	19.0	29.8	22.3	7.8

**No data**

\* Value suppressed for disclosure control reasons

Please note, data collection for the National Child measurement Programme paused in March 2020, so data for 2019/20 is underrepresented.

Source: [Fingertips, Local Health Profile](#) (ward)