

Lancashire Curriculum Tests

Year 4 – End of Spring Term

(On track to meet end of year expectations)

Mathematics test administration guide and mark schemes

Paper 1: arithmetic

Paper 2: reasoning

Administration guide

Format	<ul style="list-style-type: none">• This test consists of two papers, an arithmetic paper and a reasoning paper.• The arithmetic paper will take approximately 40 minutes and the reasoning paper will take approximately 40 minutes to complete.• It is at your discretion to choose when or if pupil(s) require a break during each test or whether, if appropriate, to stop the test early.• The test may be administered as a class or in groups, whichever is deemed most suitable. The assistance guidance should be followed in either situation.
Equipment	<p>Each pupil will need the equipment specified below:</p> <ul style="list-style-type: none">• a pencil• a ruler (showing centimetres and millimetres)• a rubber (optional). If rubbers are not provided, you should tell pupils that they may cross out any answers they wish to change• a mirror (reasoning paper only) <p>Pupils are not allowed to use calculators in the test.</p>
Assistance	<ul style="list-style-type: none">• You must ensure that nothing you say or do during a test could be interpreted as giving pupils an advantage, e.g. indicating that an answer is correct or incorrect, or suggesting the pupil looks at an answer again.• If a pupil requests it, a question may be read to them on a one-to-one basis. However, adults can only read numbers and not mathematical symbols. This is to ensure that pupils are not given an unfair advantage by having the function inadvertently explained by reading its name.

General marking principles

The marking guidance within these tests directly reflects the guidance for the national end of key stage tests 2016.

<p>1. The pupil's answer does not match closely any of the examples given in the mark scheme.</p>	<p>Use your judgement in deciding whether the answer corresponds with details in the 'Requirement' column of the mark scheme. Reference will also be made to the 'Additional guidance' column.</p>
<p>2. The pupil has answered in a non-standard way.</p>	<p>Pupils may provide evidence in any form as long as its meaning can be understood. Diagrams, symbols or words are acceptable for explanations or for indicating an answer.</p>
<p>3. The answer in the answer box is wrong due to a misread of numbers (paper 2 only).</p>	<p>A misread occurs when a pupil misreads a number given in the question and consistently uses a different number that does not alter the original intention or difficulty of the question. For example, if '243' is misread as '248', both numbers may be regarded as comparable in difficulty. However, if '243' is misread as '245' or '240', the misread number may be regarded as making the question easier. The misread of a number may affect the award of marks.</p> <p>Where appropriate, detailed guidance will be given in the mark scheme. If no guidance is given, examine each case to decide whether the mark(s) will be awarded.</p> <p>No marks are awarded if:</p> <ul style="list-style-type: none"> • it is a ONE-mark question • there is more than one misread number in a question • the mathematics is simplified • it is an explanation question • it is a misread of other information (not numbers). <p>For TWO-mark questions that have a method mark, ONE mark will be awarded if the correct method is correctly followed through with the misread number provided the mathematics has not been simplified.</p> <p>For THREE-mark questions, refer to the additional guidance.</p>
<p>4. No answer is given in the expected place, but the correct answer is given elsewhere.</p>	<p>Where a pupil has unambiguously indicated the correct answer, the mark(s) will be awarded. In particular, where a word or number is expected, a pupil may meet the requirement by annotating a graph or labelling a diagram elsewhere in the question.</p>
<p>5. The pupil's answer is correct, but the wrong working is shown.</p>	<p>A correct final answer will be awarded the mark(s).</p>
<p>6. The answer in the answer box is wrong due to a transcription error.</p>	<p>A transcription error occurs when a pupil miscopies the correct answer from the end of their working into the answer box.</p> <p>Where appropriate, detailed guidance will be given in the mark scheme. For questions with no guidance, marks will not be awarded for a transcription error unless the following rules apply:</p> <ul style="list-style-type: none"> • the wrong answer is due to a transcription error; i.e. the wrong answer is due to transposed digits in a number (e.g. 243 is written as 423); if so, the mark(s) will be awarded. <p>OR</p> <ul style="list-style-type: none"> • the wrong answer is due to one digit being changed in a number of 4 or more digits (e.g. 2345 is written as 2845); if so, the mark(s) will be awarded.

	<ul style="list-style-type: none"> the pupil has continued to give redundant extra working which does not contradict the work already done; if so, the mark(s) will be awarded. the pupil has continued to give redundant extra working which does contradict work already done; if so, the mark(s) will not be awarded.
7. The pupil's answer correctly follows through from earlier incorrect work.	'Follow through' marks for an answer will only be awarded when specifically stated in the mark scheme.
8. The correct answer has been crossed out and not replaced.	No marks will be awarded for crossed-out answers or working.
9. More than one answer is given.	If all answers given are correct (or a range of answers is given, all of which are correct), the mark(s) will be awarded unless the mark scheme states otherwise. If both correct and incorrect answers are given, no mark(s) will be awarded unless the mark scheme states otherwise.
10. The pupil's answer is numerically or algebraically equivalent to the answer in the mark scheme.	Answers should be given as single values in their simplest form unless the mark scheme states otherwise, e.g. for $\square = 536 - 30$, the answer $500 + 6$ will not be accepted. Refer to the 'Additional guidance' column to determine if the mark(s) will be awarded.
11. The pupil has used a symbol as a separator of thousands.	Only accept the use of a comma as a separator of thousands (either correctly or incorrectly placed). If the digits are in the correct order, the mark(s) will be awarded. If any other symbol is used the mark(s) will not be awarded.
12. The correct answer is embedded in the working (paper 2 only).	<p>An embedded answer occurs when a pupil shows the correct answer within their working but then selects the wrong answer from their working as their final answer or leaves the answer box blank. For example, if a pupil shows '$2.5 \times 6 = 3 \times 5$' in the last line of their working and writes 5 in the answer box whereas the correct answer is 3, then this will affect the award of marks.</p> <p>Where appropriate, detailed guidance will be given in the mark scheme. If no guidance is given, examine each case to decide whether the mark(s) will be awarded.</p> <p>For ONE-mark questions, no mark will be awarded.</p> <p>For TWO-mark questions that have a method mark, ONE-mark will be awarded provided the pupil does not give redundant extra working which contradicts work already done.</p> <p>For THREE-mark questions, refer to the additional guidance.</p>
13. The pupil has drawn lines which do not meet at the correct point.	'Slight inaccuracies in drawing' means within or on a circle of radius 2 mm with its centre at the correct point.

**Marking specific types of question:
summary of additional guidance**

Answers involving money

	Accept	Do not accept
Where the £ sign is given, e.g. £3.20, £7 <div>£</div>	£3.20 £7 £7.00 Any unambiguous indication of the correct amount, e.g. £3.20p £3 20 pence £3 20 £3-20 £3:20	Incorrect placement of pounds or pence, e.g. £320 £320p Incorrect placement of decimal point or incorrect use or omission of 0 or use of comma as a decimal point, e.g. £3.2 £3 200 £32 0 £3-2-0 £3,20
Where the p sign is given, e.g. 40p <div>p</div>	40p Any unambiguous indication of the correct amount, e.g. £0.40p	Incorrect or ambiguous use of pounds or pence or use of comma as a decimal point, e.g. 0.40p £40p £0,40p
Where no sign is given, e.g. £3.20, 40p <div></div>	£3.20 40p 320p £0.40 Any unambiguous indication of the correct amount, e.g. £3.20p £0.40p £3 20 pence £.40p £3 20 £.40 £3-20 40 £3:20 0.40 3.20 320 3 pounds 20	Incorrect or ambiguous use of pounds or pence or use of comma as a decimal point, e.g. £320 £40 £320p £40p £3.2 0.4 3.20p 0.40p £3,20 0,40p £0,40p

Answers involving time

	Accept	Do not accept
A time interval, e.g. 2 hours 30 minutes	2 hours 30 minutes Any unambiguous, correct indication, e.g. (0)2h 30 150 minutes (0)2h 30 min 150 (0)2 30 2.5 hours (0)2-30 $2\frac{1}{2}$ hours Digital electronic time, i.e. (0)2:30 (0)2;30	Incorrect or ambiguous time interval or use of comma as a decimal point, e.g. 2.30 2.3 hours 2,30 2.3h 230 2h 3 2.3 2.30 min 2,5 hours
A specific time, e.g. 8:40am, 17:20	(0)8:40am (0)8:40 twenty to nine Any unambiguous, correct indication, e.g. (0)8.40 (0)8;40 0840 (0)8 40 (0)8-40 Unambiguous change to 12- or 24-hour clock, e.g. 17:20 as 5:20pm or 17:20pm	Incorrect time, e.g. 8.4am 8.40pm Incorrect placement of separators, spaces, etc. or incorrect use or omission of 0 or use of a comma as a decimal point, e.g. 840 8:4:0 8.4 084 8,40

Answers involving measures

	Accept	Do not accept
Where units are given, e.g. 8.6kg <div style="border: 1px solid black; padding: 2px; display: inline-block; margin: 5px;">kg</div> <div style="border: 1px solid black; padding: 2px; display: inline-block; margin: 5px;">m</div> <div style="border: 1px solid black; padding: 2px; display: inline-block; margin: 5px;">l</div>	8.6kg Any unambiguous indication of the correct measurement, e.g. 8.60kg 8.6000kg 8kg 600g	Incorrect or ambiguous use of units or use of comma as a decimal point, e.g. 8600kg 8kg 600 8,60kg 8,6000kg

If a pupil gives an answer with a unit different to the unit in the answer box, then their answer must be equivalent to the correct answer provided, unless otherwise indicated in the mark scheme.

If a pupil leaves the answer box empty but writes the answer elsewhere on the page without any units, then that answer is assumed to have the units given in the answer box and the conditions listed above.


Mark schemes for Paper 1: arithmetic




Qu.	Requirement	Mark	Additional guidance
1	6.6	1m	
2	-1	1m	Do not accept 1
3	54	1m	
4	1,273	1m	
5	1,200	1m	
6	3,532	1m	
7	3 or $\frac{3}{10}$	1m	
8	824	1m	
9	320	1m	
10	30	1m	
11	784	1m	
12	7.3	1m	
13	82.6	1m	
14	121	1m	
15	3	1m	
16	4.5	1m	
17	100 or $\frac{8}{100}$	1m	
18	110	1m	
19	<p>Award TWO marks for the correct answer of 7,740</p> <p>If the answer is incorrect, award ONE mark for the formal method of columnar addition with no more than ONE arithmetic error, i.e.</p> $\begin{array}{r} 4056 \\ 427 \\ + 3257 \\ \hline 7720 \end{array}$ <p>error not including the 'carried' 20</p>	up to 2m	<p>Working must be carried through to reach a final answer for the award of ONE mark.</p> <p>No marks for:</p> $\begin{array}{r} 4056 \\ 427 \\ + 3257 \\ \hline 8010 \end{array}$ <p>correctly calculating $50+20+50+20 = 140$, then 'carrying' the 40 instead of the 100</p>
20	<p>Award TWO marks for the correct answer of 1,025</p> <p>If the answer is incorrect, award ONE mark for the formal method of columnar subtraction with no more than ONE arithmetic error, i.e.</p> $\begin{array}{r} 2408 \\ - 1383 \\ \hline 1025 \end{array}$ <p>error $100 - 80 = 30$</p>	up to 2m	<p>Working must be carried through to reach a final answer for the award of ONE mark.</p> <p>No marks for:</p> $\begin{array}{r} 2408 \\ - 1383 \\ \hline 1185 \end{array}$ <p>not recognising the need to exchange between columns</p>


21	4,512	1m	
22	13.2	1m	
23	2 or $\frac{1}{2}$	1m	
24	9	1m	
25	60	1m	
26	32r4	1m	
27	<p>Award TWO marks for the correct answer of 14.8</p> <p>If the answer is incorrect, award ONE mark for the formal method of columnar subtraction with no more than ONE arithmetic error, i.e.</p> $\begin{array}{r} 511 \\ 62.3 \\ - 47.5 \\ \hline 14.7 \end{array}$ <p>error 13 – 5 = 7</p> <p>Award ONE mark for one correct exchange between columns and no arithmetic errors.</p>	up to 2m	<p>Working must be carried through to reach a final answer for the award of ONE mark.</p> <p>No marks for:</p> $\begin{array}{r} 62.3 \\ - 47.5 \\ \hline 25.2 \end{array}$ <p>not recognising the need to exchange between columns</p>
28	<p>Award TWO marks for the correct answer of 129.3</p> <p>If the answer is incorrect, award ONE mark for the formal method of columnar addition with no more than ONE arithmetic error, i.e.</p> $\begin{array}{r} 83.7 \\ + 45.6 \\ \hline 128.3 \\ 11 \end{array}$ <p>error not including the 'carried' 1</p>	up to 2m	<p>Working must be carried through to reach a final answer for the award of ONE mark.</p> <p>No marks for:</p> $\begin{array}{r} 83.7 \\ + 45.6 \\ \hline 131.1 \\ 13 \end{array}$ <p>correctly calculating 0.7+0.6 = 1.3, then 'carrying' the 0.3 instead of the 1</p>
29	44.4	1m	
30	2 or $\frac{10}{5}$	1m	
31	3.4	1m	

35 marks in total

Mark schemes for Paper 2: reasoning

Qu.	Requirement	Mark	Additional guidance
1a	27 36 45 54 63	1m	
1b	225 200 175 150 125	1m	
2	5.14	1m	
3	 <p>equilateral</p> <p>isosceles</p> <p>scalene</p>	1m	All shapes must be correctly matched for ONE mark.
4	$\frac{11}{7}$ or eleven sevenths or $1\frac{4}{7}$	1m	Accept the answer even if the fraction strips have not been used.
5	2 x 3 x 4 in any order	1m	Accept 8 x 3 x 1 in any order as this array can also be seen.
6	<p>Award TWO marks for the correct answer of £4.70</p> <p>If the answer is incorrect, award ONE mark for evidence of a correct method with no more than one arithmetic error e.g.</p> <p>£6.80 + £1.40 = a</p> <p>£12.90 – a = wrong answer</p> <p>or</p> <p>£12.90 - £6.80 - £6.40 = wrong answer</p>	up to 2m	The answer is an amount of money – see earlier guidance.
7a	28cm or 29cm	1m	
7b	27cm to 29cm inclusive	1m	
8	$4 \times 6 = 8 + $ 8 $ + 8$	1m	
9	4 (squares) left or left 4	1m	

10	<p>Award TWO marks for the correct answer of 63 pages</p> <p>If the answer is incorrect, award ONE mark for evidence of a correct method with no more than one arithmetic error e.g.</p> <p>$84 \div 4 = a$ $a \times 3 = \text{wrong answer}$ or $84 \div 4 = a$ $84 - a = \text{wrong answer}$</p>	up to 2m	
11		1m	Accept alternative unambiguous positive indications, e.g. measurement ticked.
12	22cm²	1m	
13	18 (tenths)	1m	Do not accept 8 or 8 tenths.
14a	1,404m	1m	
14b	622m	1m	
15		1m	Both numbers must be correctly identified for the award of ONE mark .
16	An explanation that indicates the jump from 384 up to 400 should be 16 and not 26 or that 16 must be added to 84 to total 100	1m	Do not award the mark for simply calculating the answer to $512 - 384 = 128$ Also do not award the mark for stating that the answer is 10 more than it should be without reference to the miscalculation from 384 up to 400
17	<p>Award TWO marks for all three shapes correctly identified.</p>  <p>Award ONE mark for any two shapes correctly identified.</p>	up to 2m	Accept alternative unambiguous positive indications, e.g. shapes circled.
18	<p>An explanation that recognises that the 6 has been made 10x greater, the 7 has stayed the same so the answer will be 10x greater than 42.</p> <p>Award the mark for recognition that the answer will be 10x greater.</p>	1m	<p>An answer of 420 is not necessary for the award of the mark.</p> <p>Do not award the mark for simply saying the answer is 420</p> <p>Do not award the mark for an explanation that says 'add a 0'.</p>

19	Six tenths or $\frac{6}{10}$	1m										
20a	<p>Award ONE mark for all three numbers correctly placed, as in the diagram:</p> <table><tr><td></td><td>multiple of 9</td><td>not a multiple of 9</td></tr><tr><td>multiple of 3</td><td>27 36</td><td>6</td></tr><tr><td>not a multiple of 3</td><td></td><td>40</td></tr></table>		multiple of 9	not a multiple of 9	multiple of 3	27 36	6	not a multiple of 3		40	1m	
	multiple of 9	not a multiple of 9										
multiple of 3	27 36	6										
not a multiple of 3		40										
20b	54	1m										
21	<p>1 cm = <table><tr><td>10</td></tr></table> mm</p> <p>1 <table><tr><td>day</td></tr></table> = 24 hours</p>	10	day	1m	Both answers must be correct for the award of ONE mark .							
10												
day												
22	<p>Award TWO marks for the correct answer of 366m.</p> <p>If the answer is incorrect, award ONE mark for evidence of a correct method with no more than one arithmetic error e.g. 1344 – 978 = wrong answer or If the information from the correct section of the table has been misread, e.g. 1344 – 987 = 357 (correct answer for the misread number)</p>	up to 2m	Do not award any marks if there is a misread AND an arithmetic error.									
23a	(3, 4) or 3, 4	1m										
23b		1m										

24	<p>Award TWO marks for all three correctly indicated as below:</p> <p>20 x 5 - 1 <input data-bbox="440 174 499 232" type="checkbox"/></p> <p>20 x 5 - 5 <input checked="" data-bbox="440 255 499 313" type="checkbox"/></p> <p>19 x 10 - 5 <input data-bbox="440 336 499 394" type="checkbox"/></p> <p>19 x 10 ÷ 2 <input checked="" data-bbox="440 416 499 474" type="checkbox"/></p> <p>10 x 5 + 9 x 5 <input checked="" data-bbox="440 497 499 555" type="checkbox"/></p> <p>Award ONE mark for any two correct and no more than one incorrect.</p>	up to 2m	
25	125ml	1m	

35 marks in total